



AHL-LIGHT 15

LED DROP LIGHT

ahlbergs.staging.westart.se/products/lights/ahl-light-15



The AHL-LIGHT 15 is a small LED light that can illuminate narrow working areas.

MORE INFORMATION ABOUT AHL-LIGHT 15

APPLICATIONS

- Underwater nuclear drop light
- Ideal for work in reactor and fuel pools
- Works together with a separate power supply unit

BENEFITS

- Low maintenance costs due to its long life-time
- 15 000 lumen light output
- FME approved design – no loose parts can enter the pool water

SPECIFICATIONS

PHYSICAL CHARACTERISTICS

Width	60 mm
Height	207 mm
Weight	1.2 kg
Housing material	Anodized aluminum, Stainless steel
Front glass material	PUR

LIGHTING FEATURES

Type	LED 100-240 VAC, 50/60 HZ
Typical luminous flux	15 000 lumen
Life time	>50 000 h

ENVIRONMENTAL TOLERANCES


Radiation tolerance (total dose)	
Maximum temperature	50°C, 70°C for short periods (122°F, 158°F)
Water Tightness	3.5 bar

CABLE FEATURES

Maximum cable length	425 m
----------------------	-------

We reserve the right to alter specifications without prior notice

AHL-LIGHT 15 IMAGES



We reserve the right to alter specifications without prior notice